

# TOUR LIFT GF 7500kg B15-C1

VARIABLE SPEED



# AUTOMATION

# TOUR LIFT 7500 kg

## GF B15-C1

### VARIABLE SPEED SERIES

The Tour Lift is the ultimate variable speed hoist, acclaimed for its innovative features and incredible ease of use.

The two independent brakes and the patented overload system protecting the drive and chain make it the most reliable variable speed hoist on the market.

The Tour Lift GF 7500kg is equipped with an external housing that allows variable speeds from 0 to 18 feet per minute.

Its soft start/stop and extremely quiet operation make it an ideal choice for both touring and permanent installations such as theatres, museums, television studios, and auditoriums. The Tour Lift GF B15-C1 is easy to install, simple to configure, and has an ergonomic and compact design. It can also start and stop the truss, position it, and vary its speed for maximum artistic effect.

The Standard features include:

### FEATURES

- Capacity 7500Kg (16535 Lbs)
- Accurate up to 0.1 mm
- Suspension plate
- Very quiet operation
- Smooth 5 pocket sprocket chain wheel
- Vector controlled acceleration and deceleration
- Dual brakes and absolute encoder for safety and precision
- Fully integrated backup system bypassing the controller
- External control box with integrated HMI
- BGV C1 compliant
- Chain size: 17.3 mm X 48 mm






Certified



# AUTOMATION

# TOUR LIFT 7500 kg

# GF B15-C1



Certified

